


Brand AXOR
 Art. Name **AXOR ShowerSelect ID** Thermostat HighFlow for concealed installation square
 Art. Nr. 36774300
 Surface Polished Red Gold

Product picture



Features

- temperature and water flow control, precise temperature control thanks to vertical handle structure and haptic feedback from the thermostat handle
- water flow control with stop function
- maximum flow rate at 1 bar: 11,5 l/min
- maximum flow rate at 3 bar: 27 l/min
- flow rate upper outlet: 27 l/min
- flow rate lower outlet: 27 l/min
- flow rate by simultaneous use of all outlets: 34,8 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- flat escutcheon for more space in the shower
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- material button: metal
- material handles: metal

Drawing



Technology




Brand AXOR
 Art. Name **AXOR ShowerSelect ID** Thermostat HighFlow for concealed installation square
 Art. Nr. 36774300
 Surface Polished Red Gold

Flow chart



Brand AXOR
Art. Name **AXOR ShowerSelect ID** Thermostat HighFlow for concealed installation square
Art. Nr. 36774300
Surface Polished Red Gold

Spare Parts Drawing for build year: >04/24



Brand AXOR
 Art. Name **AXOR ShowerSelect ID** Thermostat HighFlow for concealed installation square
 Art. Nr. 36774300
 Surface Polished Red Gold

Spare parts list for build year: >04/24

Pos.	Description	Articlenumber
1	handle for thermostat	87777300
2	adapter for handle	87915000
3	O-ring 51x1,5	87862000
4	cover	87784000
5	cover	87783300
6	cover	87785300
7	sealing set	94933000
8	sub plate	87779000
9	compensation set	94930000
10	hexagon socket screw M4x12	94929000
11	thermostat cartridge	96633000
12	sealing set	96636000
13	O-ring 38x2,5	98198000
14	O-ring 34x2	98383000
15	O-ring 43x1,5	98148000
16	shut off unit right closing	94009000
17	service unit	94928000
18	O-ring 16x2,5	98134000
19	extension 5 mm	13641300
20	extension 22 mm	13645300
21	extension 25 - 75 mm	13632000
22	extension 25 mm	13638000
a	concealed item	01400180
b	service tool	87567000