


Brand	AXOR
Art. Name	AXOR One Thermostatic module for concealed installation for 3 functions
Art. Nr.	45713950
Surface	Brushed Brass


Product picture



Features

- 3 functions and 1 additional outlet
- simultaneous use of several outlets
- comfortable turning on / off of outlets with large Select-paddle
- Eco-Function: flow rate regulation via lever handle, depending on volume flow and installation situation approx. 50% flow rate reduction
- thermostat cartridge, Start/stop valve to operate the functions
- maximum flow rate at 3 bar: 30 l/min
- flow rate per function: 24 l/min
- flow rate by simultaneous use of all outlets: 30 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 5 bar
- Safety stop at 40 °C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- non-return valve
- connection type: basic set
- Thermostat is delivered with buttons handshower, Rain large and Body spray

Drawing




Technology




Brand AXOR
Art. Name **AXOR One** Thermostatic module for concealed installation for 3 functions
Art. Nr. 45713950
Surface Brushed Brass

Required parts

Product picture	Art. Name	Art. Nr.
	AXOR AXOR One Basic set for thermostatic module for concealed installation	45710180

Brand AXOR
 Art. Name **AXOR One** Thermostatic module for concealed installation for 3 functions
 Art. Nr. 45713950
 Surface Brushed Brass

Flow chart



Brand AXOR
 Art. Name **AXOR One** Thermostatic module for concealed installation for 3 functions
 Art. Nr. 45713950
 Surface Brushed Brass

Spare parts list for build year: >11/16

Pos.	Description	Articlenumber
1	handle for thermostat	92600950
2	handle fixing set	98932000
3	O-ring 57x2	98210000
4	escutcheon	92599950
5	hexagon socket screw M5x25	97664000
6	control panel	92613950
7	set of symbols	92541930
8	O-ring 13x2	98128000
9	set of lever collars	93121000
10	shut off unit	98536000
11	shut off unit	95758000
12	nut	98368000
13	safety set	92614000
14	nut	98913000
15	O-ring 26x1,5	98390000
16	thermostat cartridge	98282000
17	cartridge for exchanged connections	92373000
18	O-ring 11x2	98127000
19	non return valve (pressure-resistant up to 2 MPa)	92594000
20	extension 25 mm	45790000
a	base body	45710180